




Inventory and Supply Chain Management

Last Updated: Nov 24, 2023

Whether for logistics, shipments, inventory control, security or regulatory compliance, NXP's RFID, edge processing and connectivity products can enable quick, accurate tracking of assets, providing greater visibility, deterring theft, increasing productivity, lowering organizational costs and giving greater control of the overall supply chain process.


NXP's different RFID families such as UCODE, ICODE and NTAG and our Layerscape and i.MX powerful processing and connectivity options offer a great fit to supply chain optimization efforts.

Inventory/Supply Chain Management Block Diagram



NFC Enabled Sensor	<ul style="list-style-type: none"> • NHS3100: NTAG® SmartSensor with Temperature Sensor and Digital IOs • UCODE® DNA City
RAIN RFID Transponder	<ul style="list-style-type: none"> • UCODE® DNA City
MEMS Accelerometer	<ul style="list-style-type: none"> • FXLS8967AF: ±2g/±4g/±8g/±16g, Low Power 12-bit Digital Accelerometer

Cold Storage Monitoring Block Diagram



Recommended Products for Cold Storage Monitoring

MPU	<ul style="list-style-type: none"> • LS1012A: Layerscape® 1012A Low Power Processor • LS1046A: Layerscape® 1046A and 1026A Processors • LS2088A: Layerscape® 2088A and 2048A Processors • i.MX8M: i.MX 8M Family - Arm® Cortex®-A53, Cortex-M4, Audio, Voice, Video
Edge Computing Software	<ul style="list-style-type: none"> • eIQ ML 開発環境: eIQ® MLソフトウェア開発環境
Secure Element	<ul style="list-style-type: none"> • EDGELOCK-A5000: EdgeLock® A5000 Plug and Trust Secure Authenticator: Authentication Made Secure, Scalable and Easy
Connectivity	<ul style="list-style-type: none"> • KW41Z: Kinetis® KW41Z-2.4 GHz Dual Mode: Bluetooth® Low Energy and 802.15.4 Wireless Radio Microcontroller (MCU) based on Arm® Cortex®-M0+ Core • 88W9098: 2.4/5 GHzデュアルバンド2x2 Wi-Fi® 6 (802.11ax) + Bluetooth® 5.3

Temperature Sensors	<ul style="list-style-type: none">• LM75B: Digital Temperature Sensor and Thermal Watchdog• P3T1035xUK: I3C/I²Cバスに対応した±0.5°C精度のデジタル温度センサ
Wi-Fi	<ul style="list-style-type: none">• IW416: 2.4/5 GHzデュアルバンド1x1 Wi-Fi® 4 (802.11n) およびBluetooth® 5.2ソリューション• 88MW32X 802.11n Wi-Fi® Microcontroller SoC

View our complete solution for [Inventory and Supply Chain Management](#).

Note: The information on this document is subject to change without notice.

www.nxp.com

NXP and the NXP logo are trademarks of NXP B.V. All other product or service names are the property of their respective owners. The related technology may be protected by any or all of patents, copyrights, designs and trade secrets. All rights reserved. © 2024 NXP B.V.